

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/788,840	02/27/2004	John M. Kokosa	KJD-100-A	6903
22825 75	590 08/16/2006		EXAMINER	
WILLIAM M HANLON, JR			BELLAMY, TAMIKO D	
YOUNG & BA 3001 WEST BI	SILE, PC G BEAVER ROAD		ART UNIT	PAPER NUMBER
SUITE 624 TROY, MI 48084-3107			2856	
			DATE MAILED: 08/16/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

			AV.			
	Application No.	Applicant(s)	3/			
	10/788,840	KOKOSA, JOHN	м.			
Office Action Summary	Examiner	Art Unit	٥			
	Tamiko D. Bellamy	2856				
The MAILING DATE of this communication ap	ppears on the cover sheet with the	ne correspondence ad	dress			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING IDENTIFY of the may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication.  If NO period for reply is specified above, the maximum statutory period. Failure to reply within the set or extended period for reply will, by statu Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICAT .136(a). In no event, however, may a reply but will apply and will expire SIX (6) MONTHS to the cause the application to become ABAND	ION. te timely filed from the mailing date of this co DNED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 06.	June 2006.					
	is action is non-final.					
3) Since this application is in condition for allow	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4) ⊠ Claim(s) <u>1-15</u> is/are pending in the applicatio 4a) Of the above claim(s) is/are withdres 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) <u>1, 3-9, and 11-15</u> is/are rejected. 7) □ Claim(s) <u>2 and 10</u> is/are objected to. 8) □ Claim(s) are subject to restriction and/	awn from consideration.					
Application Papers						
9)☐ The specification is objected to by the Examir	ner.					
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the corre						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority documents.  2. Certified copies of the priority documents.  3. Copies of the certified copies of the priority application from the International Bure.  * See the attached detailed Office action for a list	nts have been received. nts have been received in Appli ority documents have been rec au (PCT Rule 17.2(a)).	cation No eived in this National	Stage			
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/0. Paper No(s)/Mail Date	4) Interview Sumr Paper No(s)/Ma 8) 5) Notice of Inform 6) Other:		O-152)			

#### **DETAILED ACTION**

### Claim Objections

- 1. Claims 1, 8 and 10 are objected to because of the following informalities:
  - a. Claims 1 and 8, line 7, insert before the word "vial" –sample--.

    Appropriate correction is required.
  - b. Claim 10, line 6, remove underlining of words "material in a space above the sample in the vial".

# Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1, 3-9, and 11-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lightner et al. (3,508,442) in view of Rasmussen et al. (WO9725606A1).

Re claims 1, 8, and 9, Lightner et al. discloses controlling movement (e.g., combination of prime movers A, B, C) of a syringe (18). Lighter et al. specifically states (See Co., 7, lines 45-55; Col. 8, lines 52-63) that the barrel (20) of the syringe moves downwardly/upwardly introducing the syringe needle into/out the sample container, shifting the axis of the syringe barrel (20) in a variety of ways, and the axis of the syringe barrel (20) may be pivoted about an axis parallel to the axes of the syringe barrel (20). The movement of the syringe barrel (20) in a downward/upwardly direction is equivalent

Application/Control Number: 10/788,840

Art Unit: 2856

to movement of the syringe along a first axis. The pivoting movement of the syringe barrel (20) is equivalent to movement of the syringe along a second axis. Therefore Lighter et al. discloses moving the syringe in multiple axes. Lightner et al. discloses cleaning the syringe (Col. 8, lines 40-45). Lightner et al discloses moving the syringe (18) to a sample vial (142), inserting a tip of the syringe (18) to into the sample vial (142), collecting a portion of the sample in the syringe (18), and withdrawing the syringe from the sample vial (Col. 7, lines 45-55). Lightner et al. discloses pivoting the barrel of the syringe (18) such that the syringe axis is in alignment with the injection port (10) (Col. 8, lines 10-14). The pivoting movement of the syringe axis to align with the injection port is equivalent to moving the syringe to an instrument injector. Lightner et al. discloses injecting the sample into the instrument injector for analysis of the sample, and repeating the prior steps on each of the plurality of samples (Col. 7, lines 15-27). Lightner et al. do not specifically disclose drawing a carrier solvent into the syringe. Rasmussen et al. specifically states (See Pg. 7, lines 24-30) that the solvent is immobilized onto the fiber and the plunger is withdrawn so that the fibre/fiber is withdrawn into the needle before is removed from the solvent vial. Rasmussen's et al. method of withdrawing the solvent immobilized onto the fibre/fiber and into the needle, which is equivalent to drawing the carrier solvent into the syringe. Therefore, to modify Lightner et al by employing drawing a carrier solvent into the syringe would have been obvious to one of ordinary skill in the art at the time of the invention since Rasmussen et al. teaches a sampling device having theses design characteristics. The skilled artisan would be motivated to combine the teachings of Lightner et al. and Rasmussen et al.

Page 3

Application/Control Number: 10/788,840 Page 4

Art Unit: 2856

since Lightner et al. states that his invention is applicable to automated liquid sampler for injecting a sample into a gas chromatograph and Rasmussen et al. is used only to add the limitation of drawing a carrier solvent into the syringe.

Re claims 3 and 11, as depicted in fig. 6, Lightner et al. discloses a placing a plurality of sample vials (142) in a holder in established coordinate positions

Re claims 4 and 12, Lightner et al. discloses providing a cleaning solution in a known coordinate position (Col. 8, lines 40-45).

Re claims 5 and 13, Lightner et al. discloses moving the syringe to the cleaning vial, and withdrawing contents of the cleaning solution into the syringe (Col. 7, lines 60-64, Col. 8, lines 40-45).

Re claims 6 and 14, as depicted in fig. 6, Lightner et al. discloses inserting the syringe (18) into the sample vial (142) to position the tip of the syringe (18) in a head space above a liquid sample in the vial (142).

Re claims 7 and 14, as depicted in fig. 6, Lightner et al. discloses inserting the syringe tip of the syringe (18) into the sample vial (142).

### Allowable Subject Matter

4. Claims 2 and 10 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

## Response to Remarks

5. Applicant's arguments filed 6/6/06 have been fully considered but they are not persuasive.

Re claims 1 and 8, the applicant argues Lightner doe not teach that the syringe is moved to a sample vial, nor is the syringe moved to an injector instrument; and therefore the syringe is not moved in multiple axes from the sample vial to the instrument injector. Lighter et al. specifically states (See Co., 7, lines 45-55; Col. 8, lines 52-63) that the barrel (20) of the syringe moves downwardly/upwardly introducing the syringe needle into/out the sample container, shifting the axis of the syringe barrel (20) in a variety of ways, and the axis of the syringe barrel (20) may be pivoted about an axis parallel to the axes of the syringe barrel (20). The movement of the syringe barrel (20) in a downward/upwardly direction is equivalent to movement of the syringe along a first axis. The pivoting movement of the syringe barrel (20) is equivalent to movement of the syringe along a second axis. Therefore Lighter et al. discloses moving the syringe in multiple axes. Lightner et al. discloses pivoting the barrel of the syringe (18) such that the syringe axis is in alignment with the injection port (10) (Col. 8, lines 10-14). The pivoting movement of the syringe axis to align with the injection port is equivalent to moving the syringe to an instrument injector.

Re claims 1 and 8, the applicant argues that Rasmussen et al. teaches a fiber carrier and a solvent combination are lowered into the sample and the fiber and solvent combination is withdrawn into the needle before the needle id removed from the sample vial. The applicant further argues that Rasmussen is devoid of using only a solvent to

Application/Control Number: 10/788,840

Art Unit: 2856

collect a sample as discloses in claims 1-8. However claims 1 and 8, in the amended claims received 2/6/06 and the currently amended claims received 6/6/06 disclose drawing a carrier solvent into the syringe (See claims 1 and 8, line 5). Rasmussen et al. specifically states (See Pg. 7, lines 24-30) that the solvent is immobilized onto the fiber and the plunger is withdrawn so that the fibre/fiber is withdrawn into the needle before is removed from the solvent vial. Rasmussen's et al. method of withdrawing the solvent immobilized onto the fibre/fiber and into the needle is equivalent to drawing the carrier solvent into the syringe. Therefore the Rasmussen et al. reads on claims 1 and 8.

Page 6

#### Conclusion

6. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Application/Control Number: 10/788,840

Art Unit: 2856

7. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Tamiko D. Bellamy whose telephone number is (571) 272-2190.

Page 7

The examiner can normally be reached on Monday - Friday 7:30 AM to 3:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Hezron Williams can be reached on (571) 272-2208. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Tamiko Bellamy

**一人**. August 8, 2006

in r. Will

SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2800